

SAFE HOME / LEADSAFE CHARLOTTE

CITY OF CHARLOTTE

HOUSING & NEIGHBORHOOD SERVICES

BID OPENING CERTIFICATION RECORD

Date of Bid Walk: 8	16/18	Due Date:	3/23/18	н	ns <u>/ 9</u>	-6
		Public Body I	Estimate			
Address	PBE A	mount	PBE -15%			+15%
1224 Kirt Ct.	38,3	55	32,601.7	5	44,1	08, 25
		Bid Resu	ults			
Addresses	Bidder 1	Proposed Start	Proposed Completion	Bio	ider 4	Bidder 5
Schultz Const	42025		10-29-18	0		
The state of the s	36,965	10-12-18	11-30-18	ol	DM	81271,8
Josper ENV. 2	11,940					
		Bid Walk Att	endees			
Goodwill Const	J	7 Group				
Touch Const	Jo	usper Env	Ironmental			
Const. Concept +	Design	1				
Schultz Cons	t					
This is to certify that bids for the Office located at 600 E. Trade St. Bids Opened By		c.	pened and read aloud in the second of the se	in the Nei	ighborhood	& Business Services
Witnessed By:		Date	e:	3/2	3/18	
Note: Responsive bids are the general rule, the lowes						stimate. As a
	NET	GHBORHOOD & BUS	INESS SERVICES			



SAFE HOME

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

ADDENDUM

Invitation to Bid

HNS19-6

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening:

Project Address: 1224 Kirt Ct.	SAFE HOME CHARLOTTE
Call project manager for full address	
Bid Walk: 8/16/2018 at 9:00 am	
Bid Opening: 8/23/2018 at 2:00 pm	
Client Name:	Contact Number:
Project Manager: John Sutton	Contact Number: 704-361-3881

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following: Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at <u>John Sutton</u> (cell # 704-361-3881).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.



SAFE HOME

CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.

Company Acknowledgement:
Company Admitowicagements
The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and
provisions of the housing improvement work to be performed at 1224 Kirt Ct., to be
funded through the City of Charlotte Neighborhood & Business Services, in addition, having
fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within
the time stated and in strict accordance with the proposed contract documents including furnishing of
any and all labor and materials, and to do all work required to complete said Work in accordance with
the advised respective contractual, for the sum of money:
All labor, materials, services and equipment necessary for the completion of the Work shown
on the Drawings and in the Specifications:
Third Six though whe hard Sixy file Dollars (\$ 36,765)
Written total
Specs Dated: 8/8/2018 Number of Pages: 7
Addenda # 1 Dated: 8/16/18 Number of Pages:
Addenda # 2 Dated: Number of Pages:
Project start date: 10/49/18
10/10
Project Completion Date:
·
Please Print and Sign:
Company Name/Firm: J P Wrup Constrain 70
Authorized Representative Name: John Dhug
Signature: Date: 8/22/18



SAFE HOME

CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

John Sutton
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 29202

PH: (704) 336-5296 Fax: (704) 336-3489

Prepared By: City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

p	ro	n	A	rt۱	,	n	e.	fa	ίl	9
	, 0	м	C	1 4	٧.	w	c	ıа		2

Address:

1224 Kirt Ct,

Charlotte, NC 28213

Owner:
Owner Phone:

Doris Edwards

Structure Type:

Single Unit

Program(s):

Home: (704) 596-7095

Tested- NO LEAD

LeadSafe 2016

Safe Home FY 2018

Square Feet:

•

1651

Year Built:

1967

Property Value:

80300

Tax Parcel:

08914333

Census Tract:

Property Zone:

Council District 4

Floor

Room

Exterior

Repairs

Description

pescription

Mailbox

Remove and Replace WITH LARGER MAILBOX.



Bid Cost: X / = /OO

Base Quantity Total Cost

Replace Sewer and Supply Lines from the Meter Box

Replace the existing sewer and supply lines from the meter to inside the foundation of the house. Include all materials and work necessary to comply with Plumbing Code and the Construction standards.




Bid Cost: X / = TOUS

Base Quantity Total Cost

1/60

Replumb Supply Lines

Remove all existing water supply lines. Install new PEX supply lines to code to service one 3-piece bath, kitchen and laundry area. Insulate exposed hot and cold water lines, installed to code. Repair any wall or ceiling tear out required to install system. INCLUDES HOSE BIBBS. INCLUDE PREP AND PAINT AFFECTED AREAS ONLY.



Bld Cost:
$$\frac{1500}{\text{N}}$$
 = $\frac{1500}{\text{N}}$ = $\frac{1500}{\text{N}}$

Light Fixture Exterior ALL FIXTURES INCLUDING LAMP POST FIXTURE

Replace or install a UL approved, LED light fixture.



Install Handrails FRONT ENTRANCE


Install Code approved handralls, FRONT ENTRANCE.



Bid Cost:
$$\frac{\text{Clos}}{\text{Base}} \times \frac{\text{Clost}}{\text{Quantity}} = \frac{\text{Los}}{\text{Total Cost}}$$

Aluminum Storm Door 2 TOTAL

install an aluminum combination storm and screen door. Complete with self closer and locking hardware.



Bid Cost:	350 x	V =	780	
	Base	Quantity	Total Cost	

Floor System Repair MASTER BATHROOM

Remove all fixtures not built in. Dispose of floor assembly. Install 2"x 10" joists hung 16" on center, 3/4" subfloor. Include replacing all deteriorated band joists and insulating floor to code. Includes removal and replacement of tollet and vanity.



Bid Cost: $\frac{1200}{\text{Base}}$ $X = \frac{1200}{\text{Cost}}$

Installation of New Appliances RANGE

Install Owner-supplied new appliances (refrigerator and gas range). Price includes removal and proper disposal of old appliances. INCLUDES CHANGING THE RANGE RECEPTACLE ALSO.



Bid Cost: $\frac{3}{3}$ X $\frac{1}{3}$ = $\frac{3}{3}$ Total Cost

Resilient Flooring MASTER BATHROOM

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.



10

Bid Cost: X = ZOÙ

Base Quantity Total Cost

Water Heater 40 Gallon Electric

install a 40 gallon, glass lined, high recovery insulated to R-7, double element, electric water heater with 10 year warranty. Include pressure and temperature relief valve, expansion tank, discharge tube to within 6" of floor or to outside of structure, shut-off valve and electric supply. If it is located on an upper floor or if there is no floor drain, install a catch pan drained to the exterior. Dispose of old water heater appropriately.



Bid Cost: X = XBase Quantity Total Cost

Wall Finish Repair MECHANICAL ROOM

Repair wall finish. Patch drywall or plaster holes in wall greater than one inch. All others use an adhesive mesh and mud over the mesh with the appropriate material, Wet sand smooth. (Also 26.0 - Plaster)



V

Bid Cost: 3 P X 1 = 3 00

Base Quantity Total Cost

Remove existing door, frame and threshold. Install new Energy Star rated pre-hung exterior door. Insulate cavity. Install mortised dead bolt and lever handled door hardware keyed alike. Install wide peep sight. New casing and shoe molding will match existing. Apply primer and topcoat, this installation to include repairing any damaged header, door framing, to include wall framing, sub-floor, floor joists and sill.




Bid Cost: X = 2600

Base Quantity Total Cost

Foundation Vent Screen ALL

Replace foundation vent housing with heavy duty galvanized steel screening. REPLACE 7 AND SECURE THE OTHER EXISTING VENTS.



Bld Cost: X / = 350

Base Quantity Total Cost

Ŵ Gas Pack

install combination AC/furnace unit, minimum 14 SEER design per manual J and Manual D for this home.



Bid Cost: 600 X = 6600

Base Quantity Total Cost

Seamless Aluminum Gutter & Downspouts - Install ALL

Install K- type .027 gauge seamless aluminum gutter to service roof with sufficient pitch to downspouts. White or brown color choice by owner, REPLACE ALL GUTTERS,



Replumb Waste Lines & Vents 1 1/2 BATHS

Remove all drain, waste and wet vent lines to code legal dump. Install schedule 40 PVC to service one 3-piece bath, one 2-piece bath, kitchen and laundry area from the roof vent pipe/pipes thru the foundation wall to include a main clean out outside of house and any interior clean outs required, installed to code. Repair any wall or ceiling tear out required to install system. INCLUDE PREP AND PAINT AFFECTED AREAS ONLY.



Electrical Conduit AT ELECTRICAL PANEL AND CARPORT

Install UL approved conduit to code. Use proper fittings and connectors. AT ELECTRIC PANEL AND CARPORT.



Bid Cost:	3 w x	/ =	300
-	Base	Quantity	Total Cost

/ Vinyl Window ALL

Dispose of window units and any security bars. Field measure, order and install new Energy Star rated vinyl, double glazed LOW-E windows including half screens. Insulate rough opening. Install new extension jambs, casing and sill as needed, prime and paint. Exterior trim to be wrapped in PVC coated aluminum coil as needed. Repair all areas disturbed by removal and installation. This installation is to include repairing any damaged header, framing (to include king studs, jack studs etc.) sub-floor, floor joists, band joists and sill. (17)



Bid Cost:	4 Swx	(=	4801
	Base	Quantity	Total Cost

	• • • • • • • • • • • • • • • • • • •						
19	Replace/Install Duct Work System						
17	Replace all ductwork and supply mixing box plenum. Ensure so Ductwork shall be R-8 and mastic sealed.	ystem is prop	erly supported f	from gr	ound (su	pply, re	turn, and flex.)
		Bid Cost: _	200	x		_=_	2200
			Base	(Quantity		Total Cost
20	Smoke Detector Hard Wired						
<i>V</i> •	Install UL approved, interconnected, ceiling mounted smoke are battery backups in bedrooms and outside of sleeping areas.	nd heat detect	tors permanent	ly wired	d into a re	eptac	le boxes with
		Bid Cost: _	Base	x	(_	_=	800
			Base	(Quantity		Total Cost
V	Combination CO / Smoke Detector Hard Wired 2 TOTAL Install a hard wired combination carbon monoxide and smoke	detector with l	hatten/ hack un	. 2 TO	ΤΔΙ		
	Install a field wife combination carbon monoxide and amore of						~ 4.0
		Bid Cost: _	Rose	х		_=	250
			Base	(Quantity		Total Cost
νı	Grab Bar Install 1 1/2" diameter S/S Grab Bar at Entrance Door in carpo						
	Install 1 1/2" glameter 5/5 Grab Bar at Entrance Door in carpo		~~.	_		,	272
		Bid Cost: _	315	Χ	(/ _=	- 112
		_	Base		Quantity		Total Cost
	Soffit and Fascia Repair						
ソ	Replace deteriorated soffit and fascia areas, caulk, prep and P	aint, Match e	xisting material,	, trims	and color		
,		Bid Cost:	Evo	X	l-	=	800
			Base		Quantity		Total Cost

All Contractor's Project Requirements

The contractor is responsible for:

Obtaining for all permits required. Said permits shall include all items in this scope of work.

Provide temporary toilet facilities from job start until approval of permanent facilities.

Provide AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

Bid Cost:	losox		1050	
	Base	Quantity	Total Cost	

Folding Attic Stairs				
Replace utility folding stairway, after doubling framing at ceili	ng. Install casing	g to match trim in r	oom.	
	Bid Cost:	450 x	/ =	450
		Base	Quantity	Total Cost
Electrical Scope MECHANICAL ROOM				
Replace wire/cord hanging from celling of Mechanical room. has been rerouted.	Install a plece of	trim and drywall i	n attic access ope	ning after wire/cord
	Bld Cost:	300 x		300
	partee	Base	Quantity	Total Cost
ROOF/FLASHING REPAIR IN AREA OF WOOD STOVE C	HIMNEY PIPE			
Correct roof leak in general area.				
	Bid Cost:	Goo x	(=_	500
		Base	Quantity	Total Cost
Certification				
Contractor Name: TDCHOV	2		Total Cost:	369 65
7			-	P/22 718
119			D = 1 = -	V127 111